## **DIGITAL INSTRUMENT**

## **Coating Thickness Gauge**

Line ID: @neonics



ติดต่อบริษัท นีโอนิคส์ จำกัด Tel: 098-479-5684 หรือ 061-8268939 E-mail: sale@neonics.co.th หรือ sale@tools.in.th

			Model: CM	1-1210-200F C	M-1210-200N
	Λ		Applications &	c Features	
			Coating thickness gauge is a kind of portable testing instrument, can take fast, intact, precise measurement of coating thickness. It can be used in both engineering field, and laboratories, as an		
			essential instrument in material protection industry. * The Model CM-1210-200 is Specially for the thickness measurement of coating on small workpiece. * Metric/imperial system. Manual or automatic power off.		
	· ·		-		omatic power off. o substrate recognition.
1210-200F			* Use RS-232 data output to connect with PC.		
			* Provide Bluetooth	data output choice.	
			Specifications		
			1 *		
	Λ		Model	CM-1210-200F	CM-1210-200N
			Principle		NF Type Eddy Current
			Range		n / 0~8mil
			Resolution	0.1μm / 1μm	
Principles			Accuracy $\pm 1 \sim 3\%$ n or $\pm 2.5\mu$ m or $0.1$ mil		
			Min. Radius Workpiece		
			Min. Sample Thickness 0.1 mm		
			Metric / Imperial	√	
			Functions	Battery Indicator & Automatic Power Off	
			Operating Conditions		
				Humidity: 10~90%RH	
			Power Supply	4x1.5V AAA (UM-4) Battery	
			Dimensions	140x72x34mm	
			Weight	215g (Not Including Batteries)	
		•			
D''I	A 11 1	T d			
Principles	Applications	Examples	Standard Accessories	CM-1210-200F	CM-1210-200N
F Туре	Measure the	Galvanizing layer, lacquer layer,	Main Unit	$\checkmark$	$\checkmark$
Magnetic	thickness of	porcelain enamel layer, phosphide	Probe (F Type)	$\checkmark$	
Induction	non-magnetic	layer, copper tile, aluminium tile,	Probe (NF Type)		$\checkmark$
(Iron Base)	materials on magnetic materials	some allow tile, paper etc.	Calibration Base (F)	$\checkmark$	
			Calibration Base (NF)		$\checkmark$
			Calibration Foils	1 set, 2	2 pieces
NF Type	Measure the	Anodizing, varnish, paint,	Carrying Case	B04 √	
Eddy Current (Aluminium		enamel, plastic coatings, powder,	Operation Manual		
(Aluminium Base)	non-conductive coatings on non- magnetic metals	etc. Applied to aluminum, brass,	Optional Accessories	RS-232C Data Cable with Software Bluetooth Data Adapter with Software	
Duscj		non-magnetic stainless steel, etc			
	-				